# Classic

by Stora Enso



Classic is a coated mechanical book paper grade with an exceptionally high brightness.

PRODUCER Anjala Mill

High brightnessExcellent printability

<b>TYPICAL END USES</b> Hard and soft cover books Paperbacks Text books Children's books	PRINTING METHODS CSWO HSWO SFO Digital	SHADE Bluish-white L* a* b* values	L*	a*	b*
School books Puzzle books		ISO 5631-3 (D50/2°)	94.1	0.2	0.6

### **TECHNICAL SPECIFICATIONS (target values)**

Substance		g/m²	50	55	60	65	70	80	90
Bulk	ISO 534	cm³/g	1.8-2.0	1.8	1.6-1.8	1.6-1.8-2.0	1.6-1.8-2.0	1.45-1.6-1.8-2.0	1.6-1.8-2.0
Thickness	ISO 534	μm	90-100	99	96-108	104-117-130	112-126-140	116-128-144-160	144-162-180
Brightness	ISO 2470-2 (D65/10°)	%	92	92	92	92	92	92	92
Opacity	ISO 2471	%	88	88	89	91	91	94	95

### **REEL SPECIFICATION**

Core: 76 mm Trimmed width: 5400 mm Width: min. 300 mm, max. 2500 mm Diameters: min. 1000 mm, max. 1250 mm Max. weight: 3000 kg

## CERTIFICATES

EU Ecolabel FI/011/007 Quality ISO 9001 Environment ISO 14001 Healt & Safety ISO 45001 Energy ISO 50001 FSC<sup>®</sup> CoC (FSC<sup>®</sup> C015932) \* PEFC<sup>™</sup> CoC (PEFC/02-31-86) \* (\* FSC or PEFC paper is only delivered on customer request.) For more information:

www.storaenso.com/paper-sustainability

# ENVIRONMENT

Renewable fibre Recyclable paper Recyclable packaging materials

STORAGE AND HANDLING

- Store the paper in a humidity and temperature controlled area at 50% relative humidity and room temperature between 19°C and 23°C.
- If the paper is stored in non-air conditioned warehouse, it is absolutely necessary to allow a stabilisation period in the print room.
- Open the protective wrapping at the moment of use.